

Ohaus® Triple Pro Beam Balances



Standard Features

- Includes attachment weight set and rod & clamp assembly
- Two security features
- Easy-grip carrying handle
- Magnetic damping

Ohaus

Specifications

CAPACITY:

2610 g (when using the attachment weight set included)

READABILITY:

0.1 g

CALIBRATIONS:

Front beam: 10 g x 0.1 g
 Middle beam: 500 g x 100 g
 Rear beam: 100 g x 10 g

PLATE SIZE (STAINLESS STEEL):

5.8" x 5.8"

PART #	OHAUS MODEL #	DESCRIPTION	EST. SHIP WEIGHT	PRICE
103109	TP2611.....	2610 g x 0.1 g with attachment weights, rod & clamp		\$140.00

Specifications subject to change without notice

Ohaus® Triple Beam Balances

Ohaus



Standard Features

- Notched and tiered beams for ease in reading
- Positive poise positioning for repeatability
- Magnetically damped
- Zero adjust compensator
- Choice of five weighing platforms: stainless steel pan, polypropylene scoop, stainless steel scoop, aluminum animal box, stainless steel plate
- Optional tare beam vernier dial

Specifications

CAPACITY:

1610-00, 1650-00, 710-00, 710-T0,
720-00, 730-00, 750-S0, 760-00:
610 g/2610 g
1650-W0, 750-SW: 2610 g

READABILITY:

1610-00, 1650-00, 710-00, 710-T0,
720-00, 730-00, 750-S0, 760-00:
0.1 g/0.1 g
1650-W0, 750-SW: 0.1 g

OVERALL DIMENSIONS:

18.0" L x 12.0" W x 9.0" H
(457.2 mm L x 304.8 mm W x 228.6 mm H)

TARE RANGE:

225 g (710-T0, 760-00, 1610-00,
1650-00, 1650-W0 models)

CALIBRATION:

Triple Beam
Front beam: 10 g x 0.1 g
Middle beam: 500 g x 100 g
Rear beam: 100 g x 10 g

PAN SIZE (STAINLESS STEEL):

6.0" (152.4 mm) diameter x 0.8"
(20.32 mm) D

SCOOP SIZE (POLYPROPYLENE) OPTIONAL:

12" L x 6" W x 2.75" D (304.8 mm L x
1152.4 mm W x 69.85 mm D)

SCOOP SIZE (STAINLESS STEEL)

OPTIONAL:

12" L x 6" W x 2.75" D (304.8 mm L x
1152.4 mm W x 69.85 mm D)

BOX SIZE (ALUMINUM ANIMAL)

OPTIONAL:

9" (228.6 mm) diameter x 6"
(152.4 mm) H

PLATE SIZE (STAINLESS STEEL):

6.0" (152.4 mm) diameter

WARRANTY:

Five-year limited warranty

Ohaus® Harvard Trip Balance



Standard Features

- Highly versatile, rugged, and accurate
- Two-pan design ideal for comparative weighing
- Built-in sliding masses
- Roberval principle
- Magnetic damping
- Comparative weighing
- 5-year warranty

Specifications

CAPACITY:

1450-SD: 2000 g
1550-SD: 2000 g
1560-SD: 2000 g

READABILITY:

1450-SD: 0.1 g
1550-SD: 0.1 g
1560-SD: 0.1 g

BEAM CALIBRATION:

1450-SD: 10 x 0.1 g

TOP BEAM CALIBRATION:

1550-SD: 10 x 0.1 lb
1560-SD: 10 x 0.1 lb

BOTTOM BEAM CALIBRATION:

1550-SD: 200 x 10 g
1560-SD: 200 x 10 g

PLATFORM CONSTRUCTION:

Stainless steel plate

PLATFORM SIZE:

6" (15.2 cm) diameter

SHIPPING DIMENSIONS:

15" x 9" x 11"
(38.1 cm x 22.9 cm x 28 cm)

MASTER CARTON QUANTITY:

Six

MASTER CARTON SHIPPING

DIMENSIONS:

25" x 18" x 22"
(63.5 cm x 45.8 cm x 55.9 cm)

Triple Beam Balance

PART #	OHAUS MODEL #	DESCRIPTION	EST. SHIP WEIGHT	PRICE
Triple Beam				
33350	710-00	610 g x 0.1 g, stainless steel pan	8 lb	\$138.00
33351	710-TO	610 g x 0.1 g, stainless steel pan, tare	8 lb	165.00
33352	720-00	610 g x 0.1 g, polypropylene scoop	8 lb	154.00
33355	750-SO	610 g x 0.1 g, stainless steel plate	8 lb	122.00
33356	750-SW	2,610 g x 0.1 g, stainless steel plate w/attachment weights	8 lb	135.00
33357	760-00	610 g x 0.1 g, stainless steel plate, tare	8 lb	149.00
33353	720-SO	610 g x 0.1 g/2610 g x 0.1 g w/stainless steel scoop	8 lb	179.00
33354	730-00	610 g/2,610 g x 0.1/0.1 g w/aluminum weigh boat	8 lb	199.00
33361	1650-00	610 g x 0.1 g, stainless steel plate, tare	8 lb	195.00
33362	1650-WO	2610 g x 0.1 g, stainless steel plate, tare w/attachment weights	8 lb	216.00
33360	1610-00	16010 g x 0.1 g dial-o-gram	8 lb	216.00
Options/Accessories				
Triple Beam only				
33417	183-00	Rod & clamp assembly		30.00
33446	703-00	Polypropylene scoop, 12" x 6" x 2.75", footed and counterweighted for balance w/out tare		22.00
33447	703-S0	Stainless steel scoop, 12" x 6" x 2.75", footed and counterweighted for balance w/out tare		56.00
33448	704-00	Polypropylene Maxi-Scoop®, 10" dia. x 2.5" D w/pouring spout and counterweight		24.00
33463	706-00	Vinyl dust cover		15.00

Ohaus Harvard Trip Balance

PART #	OHAUS MODEL #	DESCRIPTION	PRICE
33364	1450-SD	Harvard Trip 2,000 g x 0.1 g, single beam; stainless steel plate	\$195.00
33367	1550-SD	Harvard Trip 2,000 g x 0.1 g, two beam; stainless steel plate	216.00
33368	1560-SD	Harvard Trip 2,000 g x 0.1 g two beam; stainless steel plate, tare	220.00
Options/Accessories			
33461	106-00	Vinyl dust cover for Harvard Trip Balances	15.00
33417	183-00	Rod and clamp assembly for Triple Beam or Harvard Trip	30.00

Ohaus